page : 1/5

Revision: 9 (24-03-2006) Version: 2 (23-07-2007)

80400 - LAKEONE painting and picture cleaner



SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: LAKEONE painting and picture cleaner

Product code: 80400

Company/undertaking identification:

Registered company name: INITIATIVES DECORATION.

Address: ZI DES SOEURS 20 AVENUE ANDRE DULIN BP30027.17301.ROCHEFORT CEDEX.france.

Telephone: 05-46-88-88-00. Fax:05-46-88-88-01. Telex:.

c.micollier@groupe-id.com

http://www.les-anciens-ebenistes.com
Emergency telephone: 01-45--42-59-59.
Association/Organisation: ORPHILA.
Use of the substance/preparation:

restores the shine

2 - HAZARDS IDENTIFICATION

This product is classed: Highly flammable liquid.

Possibility of irritation to the skin.

Vapors may cause drowsiness and dizziness.

Harmful to aquatic organisms, may cause long-termadverse effects in the aquatic environment.

Preparation classification:



Irritant



Highly flammable

R 52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 38	Irritating to skin.
R 11	Highly flammable.
R 67	Vapours may cause drowsiness and dizziness.

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state) This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

INDEX	CAS	EC	Name	Symb.	R:	%
649_328_00_1	64742-49-0	265-151-9	NAPHTA LEGER(PETRIOLE)	Xn N	65 11 38 67	10 <= x % < 25
			HYDROTRAITE	F	51/53	

Substances present at a concentration below the minimum danger threshold:

INDEX	CAS	EC	Name	Symb.	R:	%
A075			TENSIO ACTIF XI R 36	Xi	36	2.5 <= x % < 10

Other substances with occupational exposure limits:

No known substance in this category present.

SAFETY DATA SHEET (EC N°1907/2006)

Revision : 9 (24-03-2006) Version : 2 (23-07-2007)

page: 2/5

80400 - LAKEONE painting and picture cleaner

Other components:

INDEX	CAS	EC	Name	Symb.	R:	%
649_327_0066	64742-48-9	265-150-3	NAPHTA LOURD (PETROLE)	Xn	65 66 10	10 <= x % < 25
			HYDROTRAITE			

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Refer the patient to an ophthalmologist, in particular if there is any redness, pain or visual impairment.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep still. DO NOT induce vomiting.

Call a doctor immediately and show him the label.

5 - FIRE-FIGHTING MEASURES

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

Suitable extinguishing media:

Carbon dioxide, chemical powders, foams, and other extinguishing gases.

Extinguishing media which must not be used for safety reasons:

Water is not generally recommended since it can be ineffective; however, it can be used successfully to cool containers exposed to the fire and to disperse fumes.

Sometimes, and due to the presence of organic material, a fire may produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Special protective equipment for fire-fighters:

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Handling

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure

Revision: 9 (24-03-2006) Version: 2 (23-07-2007)

80400 - LAKEONE painting and picture cleaner

limits

Fire prevention:

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Recommended equipment and procedures:

For personal safety, see §8.

Observe precautions stated on label and also industrial safety regulations

Avoid inhaling vapors.

Avoid contact of product with the skin and eyes

Prohibited equipment and procedures:

Smoking, eating and drinking are prohibited in premises where the preparation is used

Never open the packages under pressure

Storage:

Keep the container tightly closed in a dry, well-ventilated place

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight

To be translated (XML)

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Hand protection:

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

In the event of prolonged or repeated contact with the hands, use appropriate gloves.

Type of gloves recommended:

Nitrile

Eye and face protection:

Avoid contact with the skin and eyes. Wear safety goggles

Provide eye washes in workshops where the product is constantly handled

Skin protection:

For further information, see § 11 of S.D.S. - Toxicological information.

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state:

Important health, safety and environmental information:	
pH of the substance or preparation:	neutral.
When a pH measure is possible, it has a value of:	not stated.
Boiling point/boiling range:	not specified.
Flash point interval:	Flash point: <= 21°C.
vapour pressure:	Below 110 kPa (1.10 bar).
Density:	<1
water solubility:	Soluble.
Other information.	

fluid liquid

Other information:

melting point/melting range:	not specified.
Self-ignition temperature:	not specified.
Decomposition point/decomposition range :	not specified.

10 - STABILITY AND REACTIVITY

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Conditions to avoid:

To be translated (XML) protect from heat

Materials to avoid:

potent oxidizing agents

SAFETY DATA SHEET (EC N°1907/2006)

page: 4/5

Revision: 9 (24-03-2006) Version: 2 (23-07-2007)

80400 - LAKEONE painting and picture cleaner

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

Splashes in the eyes may cause irritation and reversible damage

It is generally agreed that substances contained are likely to cause significant irritation which lasts for at least twenty four hours after application to the healthy, unbroken skin of an animal for a period of up to 4 hours.

In the event of swallowing:

To be translated (XML)

In the event of splashes or contact with skin:

To be translated (XML)

In the event of splashes or contact with eyes:

To be translated (XML)

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

The product must not be allowed to run into drains or waterways.

Ecotoxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2007 - IMDG 2006 - ICAO/IATA 2007).

UN1993=FLAMMABLE LIQUID, N.O.S.

(naphta leger(petriole) hydrotraite)

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.		
	3	F1	III	3	33	LQ7	274 330 601 640H		
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.			
	3	-	III	5 L	F-E,S-E	223 274 330 944 955			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	
	3	-	III	309	60 L	310	220 L	A3 A148	
	3	-	III	Y309	10 L	-	-	-	

15 - REGULATORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations
In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

Preparation classification:

Revision : 9 (24-03-2006) Version : 2 (23-07-2007)

80400 - LAKEONE painting and picture cleaner







Highly flammable.

Particular hazards associated with the preparation and safety recommendations:

R 52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 38	Irritating to skin.
R 11	Highly flammable.
R 67	Vapours may cause drowsiness and dizziness.
S 2	Keep out of the reach of children.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 24	Avoid contact with skin.
S 51	Use only in well-ventilated areas.
S 62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or
	label.
S 64	If swallowed, rinse mouth with water (only if the person is conscious).

Particular provisions:

Tactile warning of danger.

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 3:

R 10	Flammable.				
R 11	Highly flammable.				
R 36	Irritating to eyes.				
R 38	Irritating to skin.				
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.				
R 65	Harmful: may cause lung damage if swallowed.				
R 66	Repeated exposure may cause skin dryness or cracking.				
R 67	Vapours may cause drowsiness and dizziness.				